



12

NEET 2026

Chemistry_Question Paper

46. Match List I with List II:

	List-I		List-II
A.	$\text{H}_3\text{C}-\text{CH}-\text{CH}_3$ 	I.	(i) oleum; (ii) NaOH, Δ ; (iii) H^+
B.	$\text{CH}_3\text{COOH} -$ $\text{CH}_3\text{CH}_2\text{OH}$	II.	(i) O_2 ; (ii) $\text{H}_2\text{O}/\text{H}^+$
C.	$\text{CH}_3\text{CH}_2\text{CH}_2\text{OH} \rightarrow$ $\text{CH}_3-\text{CH}-\text{CH}_3$ $\quad \quad $ $\quad \quad \text{OH}$	III.	(i) $\text{CH}_3\text{OH}, \text{H}^+$; (ii) H_2 , catalyst
D.		IV.	(i) conc. H_2SO_4 , Δ ; (ii) $\text{H}^+/\text{H}_2\text{O}$

- (1) A-I; B-III; C-IV; D-II
 (2) A-II; B-IV; C-III; D-I
 (3) A-II; B-III; C-I; D-IV
 (4) A-II; B-III; C-IV; D-I

47. The major product Z formed in the following sequence of reactions is:



- (1) $\text{C}_2\text{H}_5-\text{N}=\text{N}-\text{OH}$
 (2) $\text{C}_2\text{H}_5\text{OH}$
 (3) $\text{C}_2\text{H}_5\text{NO}_2$
 (4) $\text{C}_2\text{H}_5\text{NH}_2$

48. In a qualitative analysis, Bi^{3+} is detected by appearance of precipitate of $\text{BiO}(\text{OH})(\text{s})$. Calculate pH when the following equilibrium exists at 298 K :

$$K = 4 \times 10^{-10}$$

(Given : $\log 2 = 0.3010$)

- (1) 4.699 (2) 8.714

- (3) 9.301 (4) 5.286

49. When 1 dm³ of CO_2 gas is passed over hot coke, the volume of gaseous mixture after complete reaction at STP becomes 1.4 dm³. The composition of the gaseous mixture at STP is :

- (1) 0.6 dm³ of CO, 0.8 dm³ of CO_2
 (2) 0.8 dm³ of CO, 0.8 dm³ of CO_2
 (3) 0.8 dm³ of CO, 0.6 dm³ of CO_2
 (4) 0.6 dm³ of CO, 0.4 dm³ of CO_2



50. Match List I with List II :

	List-I (Quantum Numbers)			List-II (Orbital)
	'n'	'l'		
A.	2	1	I.	3d
B.	4	0	II.	2p
C.	5	3	III.	4s
D.	3	2	IV.	5f

Choose the correct answer from the option given below :


- (1) A-II, B-III, C-IV, D-I
 (2) A-I, B-II, C-III, D-IV
 (3) A-IV, B-II, C-III, D-I
 (4) A-II, B-III, C-I, D-IV

51. The number of chlorine atoms present in the organic products X and Y of the following reactions, respectively, are



- (1) 3 and 6 (2) 6 and 6
(3) 6 and 3 (4) 3 and 3

52. In the following reaction sequence, X and Z respectively are :



- (1) $\text{X} = \text{POCl}_3$; $\text{Z} = \text{CH}_3 - \underset{\text{Br}}{\text{CH}} - \text{CH}_3$
(2) $\text{X} = \text{H}_3\text{PO}_3$; $\text{Z} = \text{CH}_3\text{CH}_2\text{CH}_2 - \text{Br}$
(3) $\text{X} = \text{H}_3\text{PO}_3$; $\text{Z} = \text{CH}_3 - \underset{\text{Br}}{\text{CH}} - \text{CH}_3$
(4) $\text{X} = \text{POCl}_3$; $\text{Z} = \text{CH}_3\text{CH}_2\text{CH}_2 - \text{Br}$

53. Match List I with List II

	List-I (Transition metal/compound/complex)		List-II (Catalytic Role)
A.	V_2O_5	I.	Preparation of ammonia from N_2/H_2 mixture
B.	Fe	II.	Polymerisation of alkynes
C.	PdCl_2	III.	Preparation of H_2SO_4 from SO_2
D.	Ni complex	IV.	Oxidation of ethyne to ethanal


Choose the correct answer from the options given below :

- (1) A-III, B-IV, C-I, D-II
(2) A-II, B-I, C-IV, D-III
(3) A-IV, B-I, C-III, D-II
(4) A-III, B-I, C-IV, D-II

54. Identify the correct statement about ClF_3 from the following options :

- (1) It has a trigonal pyramidal geometry with two lone pairs on Cl atom.
(2) It has T-shaped geometry with two lone pairs on Cl atom.
(3) It has a planar trigonal geometry with two lone pairs on Cl atom
(4) It has T-shaped geometry with three lone pairs on Cl atom.

55. Calculate emf of the half cell given below :



$$E^\circ_{\text{H}_2/\text{H}^+} = 0\text{V}$$

$$\text{(Given : } \frac{2.303RT}{F} = 0.059, \log 2 = 0.3010)$$

- (1) 0.109 V (2) 0.035V

(3) -0.035 V (4) 0.109 V

56. Match List I with List II :

	List-I (Order of reaction)		List-II
A.	Zero order	I.	$\text{mol}^{-1}\text{ L s}^{-1}$
B.	First order	II.	$\text{mol}^{-2}\text{ L}^2\text{ s}^{-1}$
C.	Second order	III.	s^{-1}
D.	Third order	IV.	$\text{mol L}^{-1}\text{ s}^{-1}$


Choose the correct answer from the options given below :

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-IV, B-III, C-I, D-II
- (4) A-IV, B-II, C-I, D-III

57. The calculated 'spin-only' magnetic moment of $\text{Ti}^{2+}(\text{3d}^2)$ is :

- (1) 2.84 BM (2) 5.92 BM
- (3) 4.90 BM (4) 3.87 BM

58. Two products X and Y are formed in the following reaction sequence.



The suitable method that can be used for the separation of products X and Y is :

- (1) Continuous extraction
- (2) Differential extraction
- (3) Fractional distillation
- (4) Sublimation

59. A bulb is rated at 150 watt, converting 8% energy into light. If energy of one photon is $4.42 \times 10^{-19}\text{ J}$, how many photons are emitted by the bulb per second ?

- (1) 1.35×10^{19} (2) 4.06×10^{19}
- (3) 2.71×10^{19} (4) 27.2×10^{19}

60. In a test tube containing a salt, a few drops of dilute H_2SO_4 was added, which gave colourless

vapours having the smell of vinegar. The vapours turned the blue litmus paper red.

Identify the correct anion from the following :

- (1) Acetate, CH_3COO^-
- (2) Carbonate, CO_3^{2-}
- (3) Sulphate, SO_4^{2-}
- (4) Sulphide, S^{2-}

61. Select the reagents that reduce nitriles to primary amines :

- A. (i) LiAlH_4 ; (ii) H_2O
- B. $\text{Sn} + \text{HCl}$
- C. H_2/Ni
- D. $\text{Na}(\text{Hg})/\text{C}_2\text{H}_5\text{OH}$
- E. $\text{Br}_2/\text{aq. NaOH}$

Choose the correct answer from the options given below :

- (1) A, B and C only
- (2) A, C and D only
- (3) A, D and E only
- (4) B, D and E only

62. Identify the incorrect statement from the following :

- (1) Carbon has the ability to form $p\pi-p\pi$ multiple bond with itself.
- (2) ECl_3 (E = B and Al) is a monomer when E = B and a dimer when E = Al.
- (3) Oxygen exhibits only -2 oxidation state.
- (4) The order of catenation property of Group 14 elements is $\text{C} \gg \text{Si} > \text{Ge} \approx \text{Sn}$.

63. Although +3 oxidation state is most common in lanthanoids, cerium still shows +4 oxidation state because :

- (1) Its nearest inert gas is Radon.
- (2) After losing one more electron, it acquires $4f^{14}$ electronic configuration.
- (3) Its atomic number is 61
- (4) After losing one more electron, it acquires $4f^0$ electronic configuration.

64. During Lassaigne's test, the elements present in an organic compound are converted from :

- (1) covalent form to covalent form
- (2) ionic form to ionic form
- (3) covalent form to ionic form
- (4) ionic form to covalent form


65. The number of hydrogen atoms present in 5.4 g of urea is :

(Given : Molar mass of urea : : 60 g mol^{-1} , N_A : 6.022×10^{23} particles mol^{-1})

- (1) 2.168×10^{23}
- (2) 2.168×10^{22}
- (3) 1.084×10^{22}
- (4) 1.084×10^{23}

66. The pair of molecules that are metamers among the following is :

- (1) $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$ and $\text{CH}_3 - \text{CH}(\text{OH}) - \text{CH}_3$
- (2) $\text{CH}_3\text{OCH}_2\text{CH}_2\text{CH}_3$ and $\text{CH}_3\text{CH}_2\text{OCH}_2\text{CH}_3$



- (4) $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$ and $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_3$

67. Identify the incorrect statement from the following :

- (1) $\text{P}(\text{C}_2\text{H}_5)_3$ and $\text{As}(\text{C}_6\text{H}_5)_3$ form $d\pi-d\pi$ bond with transition metals.
- (2) Nitrogen can form $d\pi-p\pi$ bond with oxygen.
- (3) Nitrogen can form $p\pi-p\pi$ multiple bonds with itself.
- (4) Phosphorus, arsenic and antimony show catenation property.

68. Phenolphthalein is used as an indicator for the titration of sodium hydroxide solution against a standard solution of oxalic acid. The colour change that is observed at an alkaline pH close to the equivalence point during this titration is :

- (1) pinkish red to yellow
- (2) yellow to pinkish red
- (3) colourless to pink
- (4) pink to colourless

69. Match List I with List II :

	List-I		List-II
A.	C_2H_4	I.	3 σ bonds, 2 π bonds
B.	C_2H_2	II.	3 σ bonds, one lone pair
C.	CH_4	III.	4 σ bonds
D.	NH_3	IV.	5 σ bonds, 1 π bond

Choose the correct answer from the options given below :

- (1) A-IV, B-I, C-III, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-I, B-II, C-IV, D-III
- (4) A-II, B-III, C-I, D-IV





70. At a certain temperature, T (K), during a process, 500 J is absorbed by the system and work of 200 J is done by the system. Then change in internal energy of the system is :

- (1) 700 J
- (2) 300 J
- (3) 400 J
- (4) 500 J

71. Methane reacts with steam at 1273 K in the presence of nickel catalyst to form

- (1) CO and H_2
- (2) CO and H_2O
- (3) CO_2 and H_2O
- (4) CO_2 and H_2

72. Compound P (C_6H_8O) gives a red orange precipitate with 2,4-DNP reagent and it does not reduce Fehling's reagent. On drastic oxidation with chromic acid, P gives an aromatic product Q that produces effervescence on treating with aq. $NaHCO_3$. Compounds P and Q, respectively, are :



73. A solution of copper sulphate is electrolysed for 10 minutes with a current of 1.5 amperes. The mass of copper deposited at cathode is : (Given : Molar mass of $Cu = 63 \text{ g mol}^{-1}$; $1 \text{ F} = 96487 \text{ C mol}^{-1}$)

- (1) 2.4036 g (2) 1.7018 g
(3) 0.5876 g (4) 0.2938 g

74. The functional group that can be identified through phthalein dye test is

- (1) Phenolic (2) Alcohol
(3) Aldehyde (4) Carboxylic acid

75. The correct statement with regard to the secondary structure of DNA/RNA is :

- (1) DNA possesses a single strand helix structure and contains uracil as one of the four bases.
(2) RNA possesses a single strand helix structure and contains thymine as one of the four bases.
(3) DNA possesses a double strand helix structure and contains thymine as one of the four bases.
(4) RNA possesses a double strand helix structure and contains uracil as one of the four bases.

76. Identify the correct statements :

- A. The molality of 2.5 g of ethanoic acid (Molar mass : 60 g mol^{-1}) in 75 g of benzene solution is 0.556 m.
B. The molarity of a solution containing 5 g of NaOH (molar mass : 40 g mol^{-1}) in 450 mL of solution is 0.278 M at 298 K.
C. Aquatic species are more comfortable in cold water.
D. The solubility of gas increases with decrease in pressure.
E. For a binary mixture of A and B, the number of moles of A and B are n_A and n_B respectively. The mole fraction of B will be

$$x_B = \frac{n_A}{n_A + n_B}$$

Choose the correct answer from the options given below :

- (1) A and C only
(2) A, B and C only
(3) A, D and E only
(4) A and B only

77. Mixture of chloroform and acetone forms a solution with negative deviation from Raoult's law due to :

- (1) formation of hydrogen bonding between acetone and chloroform.
- (2) increase in escaping tendency of molecules of each component.
- (3) stronger intermolecular forces between chloroform molecules than those between chloroform and acetone molecules.
- (4) repulsive forces.

78. At 298 K, a certain buffer solution contains equal concentrations of X^- and HX , K_b for X^- is 10^{-10} .

What is the pH of this buffer solution ?

- (1) 2
- (2) 10
- (3) 4
- (4) 6


79. Identify the incorrect statement from the following :

- (1) The IUPAC name of the element with atomic number 107 is Unnilseptium.
- (2) The largest and the smallest species among Mg , Mg^{2+} , Al and Al^{3+} are Al and Mg^{2+} , respectively.
- (3) The similarity in behaviour of Li with Mg is referred to as 'diagonal relationship'.
- (4) The oxidation state and covalency of Al in $[AlCl(H_2O)_5]^{2+}$ are 3 and 6 respectively.

80. The correct order of increasing metallic character of Na , Be , P , Mg and Si is :

- (1) $P < Si < Be < Mg < Na$
- (2) $Be < S < P < Mg < Na$
- (3) $P < S < Na < Mg < Be$
- (4) $P < Mg < Be < Si < Na$

81. The correct IUPAC name of the following compound is :



- (1) 2,4-diethylhexane
- (2) 3,5-diethylhexane
- (3) 3-ethyl-5-methylheptane
- (4) 3-methyl-5-ethylheptane


82. Match List I with List II :

	List-I (Complex/ion n)		List-II (Shape/geometry)
A.	$Pt(Cl_2)(NH_3)_2]$	I.	Octahedral
B.	$[Co(NH_3)_6]Cl_3$	II.	Trigonal bipyramidal
C.	$[NiCl_4]^{2-}$	III.	Square planar
D.	$[Fe(CO)_5]$	IV.	Tetrahedral

Choose the correct answer from the options given below :

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-I, C-III, D-II
- (4) A-III, B-I, C-IV, D-II

83. For a certain reaction $R \rightarrow \text{Product}$, the plot of concentration $[R]$ vs time has a negative slope as shown. The order of reaction is :




- (1) 0
- (2) 1
- (3) 2
- (4) 2.5

84. Which one of the following is an ambidentate ligand ?

- (1) Ethylenediaminetetraacetate ion
- (2) Oxalate
- (3) Ethane-1,2-diamine
- (4) Thiocyanate


85. Consider the following reaction :



$\Delta U^\circ = -10 \text{ kJ mol}^{-1}$ and $\Delta S^\circ = -44 \text{ J K}^{-1}$ at 298 K.

Identify the correct option with ΔG° for the reaction and spontaneity of the reaction at 298 K. (Given : $R = 8.31 \text{ J mol}^{-1} \text{ K}^{-1}$)

- (1) $-1.635 \text{ kJ mol}^{-1}$, spontaneous
- (2) $+0.63568 \text{ kJ mol}^{-1}$, non-spontaneous
- (3) $-0.63568 \text{ kJ mol}^{-1}$, spontaneous
- (4) $+1.635 \text{ kJ mol}^{-1}$, non-spontaneous



86.

The correct formal charges on oxygen atoms numbered 2, 1 and 3 respectively are :

- (1) $-1, 0, +1$ (2) $0, +1, -1$
- (3) $0, 0, 0$ (4) $+1, 0, -1$

87. Given below are certain reactions. Identify the reaction for which $K_p \neq K_c$.

- (1) $\text{H}_2(g) + \text{I}_2(g) \rightleftharpoons 2\text{HI}(g)$
- (2) $\text{N}_2(g) + \text{O}_2(g) \rightleftharpoons 2\text{NO}(g)$
- (3) $\text{N}_2(g) + 3\text{H}_2(g) \rightleftharpoons 2\text{NH}_3(g)$
- (4) $\text{H}_2\text{O}(g) + \text{CO}(g) \rightleftharpoons \text{H}_2(g) + \text{CO}_2(g)$

88. Given below is an expression for the rate constant of a first order reaction occurring at a certain temperature, T (K).


$$\ln k = 14.34 - \frac{1.25 \times 10^4}{T}$$

The energy of activation in kcal mol^{-1} for the reaction is :

(Given : k in s^{-1} , $R = 1.987 \text{ cal mol}^{-1} \text{ K}^{-1}$)

- (1) 12.42 (2) 14.34
- (3) 18.63 (4) 24.84

89. The following two reactions give the same foul smelling product Z.



X and Z, respectively, are

- (1) $\text{X} = \text{AgCN}$; $\text{Z} = \text{C}_2\text{H}_5\text{CN}$
- (2) $\text{X} = \text{KCN}$; $\text{Z} = \text{C}_2\text{H}_5\text{CN}$
- (3) $\text{X} = \text{KCN}$; $\text{Z} = \text{C}_2\text{H}_5\text{NC}$
- (4) $\text{X} = \text{AgCN}$; $\text{Z} = \text{C}_2\text{H}_5\text{NC}$

90. Match List I with List II :

	List-I (Complex)		List-II (Type of isomerism)
A.	$[\text{Pt}(\text{NH}_3)_2\text{Cl}_2]$	I.	Optical
B.	$[\text{Co}(\text{en})_3]^{3+}$	II.	Solvate
C.	$[\text{Co}(\text{NH}_3)_5\text{NO}_2] \text{Cl}_2$	III.	Geometrical
D.	$[\text{Cr}(\text{H}_2\text{O})_6]\text{Cl}_3$	IV.	Linkage

Choose the correct answer from the options given below :

- (1) A-III, B-I, C-II, D-IV
- (2) A-I, B-III, C-II, D-IV
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-IV, C-III, D-I

NEET 2025

80 घुरंधर

MBBS
सिलेक्शन



NOW @
NAIR
MUMBAI

99.55%ile

AYUSH VISHWAKARMA

556 / 720

GMC
BARAMATI

SHRUTI TIWARI
544/720
99.31%ile

GMC
SOLAPUR

ASHWIKA CHAKKATTIL
536/720
99.09%ile

RGMC
MUMBAI

RIDIMA BHOSLE
536/720
99.09%ile

KJS
SION

TISHA JANGID
529/720
98.87%ile

GMC
MUMBAI

SHRADDHA DUBEY
527/720
98.80%ile

GMC
AKOLA

SHRADDHA YADAV
526/720
98.77%ile

GMC
ALIBAUG

MAHEK TIWARI
523/720
98.65%ile

SVNGMC
YAVATMAL

KHUSHI NIHALANI
522/720
98.61%ile

GMC
DHULE

TUSHAR JANGID
520/720
98.54%ile

GMC
AMRAVATI

POOJA SINGH
517/720
98.42%ile

GMC
NANDURBAR

KHUSHI MISHRA
515/720
98.33%ile

GMC
NANDURBAR

SHRUTI MAURYA
511/720
98.16%ile

GMC
GONDIA

ABDUL CHOUDHARY
511/720
98.16%ile

JNMC
BELGAUM

SUBHAAN PATANWALA
507/720
97.97%ile

GMC
BHANDARA

MONAL SINGH
506/720
97.92%ile

GMC
GADCHIROLI

ADWITA MISHRA
505/720
97.87%ile

GMC
GADCHIROLI

DHANRAJ MISHRA
504/720
97.82%ile

KMC
GADCHIROLI

AKSHITA TRIPATHI
504/720
97.82%ile

NEET 2025



NOW @
LTMC
MUMBAI
99.48%ile

MD. ARQAM ANSARI

552 /720



NOW @
GT & CAMA
MUMBAI
99.46%ile

TIRTHA NAIR

551 /720



GMC
ALIBAUG

AMEERA KAZI

533/720

99.00%ile



GMC
NANDED

PRATHVI SALIAN

532/720

98.97%ile



RGMC
MUMBAI

NEHA SHARMA

530/720

98.90%ile



RGMC
MUMBAI

HARKRISH JOSHI

520/720

98.54%ile



GMC
AMRAVATI

MANISH KUMAVAT

520/720

98.54%ile



GMC
NANDURBAR

PRINCE SOLANKI

520/720

98.54%ile



GMC
BULDHANA

HRISHIKESH DUBE

511/720

98.16%ile



GMC
SINDHURG

ALKA SINGH

509/720

98.06%ile



GMC
BHANDARA

VAIBHAV DAMANI

509/720

98.06%ile



VPMC
NASHIK

KOMAL SINGH

503/720

97.77%ile



KNMC
PUNE

VRUSHTI VAGHASIA

502/720

97.72%ile



IIMSR
JALNA

ALISHA SYED

502/720

97.72%ile

Name

Darshan Gharat
Saniya Shaikh
Saher Farooque
Yugank Utta
Dilip Modi
Ambika Chaurasiya
Riya Thacker
Anu Chhawchharia
Misba Khan
Taniya Raina
Ayush Mishra
Viraag Kothari
Khushi Bajaj
Piyush Jain
Srithaja Yalaka
Vaishnavi Pal
Harshit Yadav
Nehali Kashid
Shreyash Wagharalkar
Ashraful Khan
Aditya Gupta
Kadambari Belekar
Ananya Tandle
Kalash Mishra
Saachi Jadhav
Khushi Chaurasia
AadityaYadav
Heva Raut
Tanishk Rai
Vidya Chhetiar
Amaan Patanwala
Zoya Ali Sayed
Harshika Dalvi
Akshita Shetty
Preeti Chauhan
Vaishnavi Singh
Hiya Tibrewala
Hiral Patel
Vaishnavi Agarwal
Naina Sahu
Archie Sharma
Shreeram Dubey
Palavi Kadam
Anuj Singh
Krishna Dubey
Sneha Dubey
Farhan Shaikh

College

KNMC, Pune
KNMC, Pune
MIME, Talegaon
ACPM, Dhule
SMBT, Nashik
PDMC, Amravati
SMBT, Nashik
SMBT, Nashik
IIMSR, Jalna
VVPFMC, Ahilyanagar
ACPM, Dhule
ACPM, Dhule
SMBT, Nashik
SMBT, Nashik
ACPM, Dhule
ACPM, Dhule
PIMC, Sangli
NYTMC, Karjat
SNKMC, Kopergaon
SSPM, Sindhudurg
VMC, Palghar
GT & CAMA, Mumbai
NYTMC, Karjat
MIMS, Lucknow
GMC, Ratnagiri
SGMC, Gorakhpur
SMBT, Igatpuri
GMC, Alibaug
HIMC, Varanasi
ASMC, AP
JNMC, Belgaum
MGMC, Navi Mumbai
MGM, Panvel
AJIMC, Mangalore
SKSMC, Mathura
RMC, UP
PIMC, Lucknow
Naraina, Kanpur
MGMC, Navi Mumbai
PMC, Jharkhand
DY Patil, Navi Mumbai
SRNMC, Allahabad
BVMC, Pune
SCMC, Bihar
CMC, Lucknow
TSMC, Lucknow
CMC, Lucknow

सपने नहीं हकीकत बुनते है,
तमी तो SCIENCE वाले **TSPH** चुनते है ।

Challenge Your Limits!

BHAYANDAR BRANCH

1st Floor, Ashoka Shopping Centre,
Navghar Road, Near Railway Station,
Bhayandar (E),

 8652 375 375

MIRA ROAD BRANCH

1st Floor, D/232, Shanti Shopping Centre,
Near Railway Station,
Mira Road (E)

 8652 373 373